=> IFW: Scan as Doc Code: SRNT <= Doc Date:

TC 3700 Inventor Search Program

See attached inventor searches for applications and/or patents to help resolve questions of overlapping subject matter. These searches are provided as an initial examination aid: examiners should perform updated or expanded PALM or EAST inventors searches as appropriate.

Serial Number: 10/739,434

1.) See <u>attached</u> printout of inventors listed in PALM

2.) See <u>attached</u> EAST Inventor Search Printout shows Inventor search terms

PALM INTRANET

Day: Thursday Date: 4/20/2006

Time: 13:53:56

Inventor Information for 10/739436

Inventor Name	City	State/Country	
BARLOW, ANNA	SANTA CLARITA	CALIFORNIA	
FLECK, CHRISTOPHER	CANYON COUNTRY	CALIFORNIA	
TRUEX, BUEHL E.	GLENDORA	CALIFORNIA	
ROURKE, EDWARD G.	LOS ANGELES	CALIFORNIA	
Appin Info Contents Petition Inf	fo Atty/Agent Info Continuit	y Data Foreign Da	
Search Another: Application#	Search or PG PUBS #	y Data Foreign Da Search Search	
Search Another: Application#	Search or Patent#	Search	

To go back use Back button on your browser toolbar.

Back to PALM | ASSIGNMENT | OASIS | Home page

US 20030074578 A1	US- PGPUB	20030417	9	Computer virus containment	726/24		Ford, Richard et al.
US 20020143379 A1	US- PGPUB	20021003		Electrode assembly with a detachable distal tip	607/122		Morgan, Kevin L. et al.
US 6501993 B2	USPAT	20021231		Electrode assembly with a detachable distal tip	607/122		Morgan, Kevin L. et al.
US 6428368 B1	USPAT	20020806		Side actuated lead connector assembly for implantable tissue stimulation device	439/271	607/37	Hawkins; Rodney J. et al.
US 6192277 B1	USPAT	20010220		Implantable device with bevel gear actuation for lead retention and actuation	607/37		Lim; Wisit et al.
US 6029089 A	USPAT	20000222		Lead retention and sealing system	607/37	439/271; 439/909	Hawkins; Rodney et al.
US 6014586 A	USPAT	20000111		Vertically integrated semiconductor package for an implantable medical device	607/36	257/E25.029	Weinberg; Alvin H. et al.
US 5951595 A	USPAT	19990914		Setscrewless connector assembly for implantable medical devices	607/37	439/836; 439/838; 439/851; 439/909	Moberg; Sheldon B. et al.
US 5741313 A	USPAT	19980421		Implantable medical device with a reduced volumetric configuration	607/36		Davis; Dion Frank et al.

device having shielded and filtered feedthrough assembly and methods for making such assembly and method and apparatus for testing fiber optic jumpers US 5497671 A USPAT 19960625 Method and apparatus for testing fiber optic jumpers Pineapple gear and method of manufacturing the same US 5461324 A USPAT 19951024 17 Split-fixture configuration and method for testing circuit traces on a flexible substrate US 5352069 A USPAT 19941004 Method and apparatus for a numerically controlled tapping machine device having shielded and filtered feedthrough assembly and method for testing circuit traces on a flexible substrate WS 6461324 A device having shielded and filtered feedthrough assembly and method for testing circuit traces on a flexible substrate WS 74/416 324/754 324/758.1; James E et al.	4								
US 5683435 A USPAT US									
US 5683435 A USPAT I 19971104 I Implantable medical device having shielded and filtered feedthrough assembly and methods for making such assembly US 5620476 A USPAT I 19970415 I Implantable medical device having shielded and filtered feedthrough assembly and methods for making such assembly US 5530546 A USPAT I 19960625 Method and apparatus for testing fiber optic jumpers A Method and method of manufacturing the same US 5461324 A USPAT I 19951024 I Split-fixture configuration and method for testing circuit traces on a flexible substrate US 5352069 USPAT I 19941004 Method and apparatus for a numerically controlled tapping machine Method and apparatus for a numerically controlled tapping machine									
medical device having shielded and filtered feedthrough assembly and methods for making such assembly and filtered feedthrough shielded and filtered feedthrough assembly and methods for making such assembly and filtered feedthrough assembly and methods for making such assembly and methods for making such assembly and methods for making such assembly and methods for testing fiber optic jumpers US 5530546 USPAT 19960625 Method and apparatus for testing fiber optic jumpers US 5497671 A Piper 19960312 Pineapple gear and method of manufacturing the same US 5461324 USPAT 19951024 17 Split-fixture configuration and method for testing circuit traces on a flexible substrate US 5352069 USPAT 19941004 Method and apparatus for a numerically controlled tapping machine	770 5600 40 5	TIODATE	10071104			_	(07/27	174/50 52	Т
device having shielded and filtered feedthrough assembly and methods for making such assembly US 5620476 A USPAT 19970415 Implantable medical device having shielded and filtered feedthrough assembly and methods for making such assembly and methods for making such assembly assembly assembly and methods for making such assembly US 5530546 A USPAT 19960625 Method and apparatus for testing fiber optic jumpers US 5497671 A USPAT 19960312 Pineapple gear and method of manufacturing the same US 5461324 A USPAT 19951024 To Split-fixture configuration and method for testing circuit traces on a flexible substrate US 5352069 A USPAT 19941004 Method and apparatus for a numerically controlled tapping machine device having shielded and filtered feedthrough assembly assembly assembly assembly and method of manufacturing the same 408/18, 408/18, 408/9; 470/45 Rourke; Edward G.		USPAT	199/1104				607/37	1/4/30.32	
shielded and filtered feedthrough assembly and methods for making such assembly US 5620476 A USPAT 19970415 Implantable medical device having shielded and filtered feedthrough assembly and methods for making such assembly US 5530546 A USPAT 19960625 Method and apparatus for testing fiber optic jumpers US 5497671 A USPAT 19960312 Pineapple gear and method of manufacturing the same US 5461324 A USPAT 19951024 IT Split-fixture configuration and method for testing circuit traces on a flexible substrate US 5352069 A USPAT 19941004 A Method and apparatus for a numerically controlled tapping machine Method and apparatus for a numerically controlled tapping machine	A								
feedthrough assembly and methods for making such assembly US 5620476 A USPAT 19970415 Implantable medical device having shielded and filtered feedthrough assembly and methods for making such assembly US 5530546 A USPAT 19960625 Method and apparatus for testing fiber optic jumpers US 5497671 A USPAT 19960312 Pineapple gear and method of manufacturing the same US 5461324 A USPAT 19951024 A USPAT 19951024 A USPAT 19951024 Method and method for testing circuit traces on a flexible substrate US 5352069 A USPAT 19941004 A Method and apparatus for a numerically controlled tapping machine Method and apparatus for a numerically controlled tapping machine Method and apparatus for a numerically controlled tapping machine								i	
assembly and methods for making such assembly US 5620476 A USPAT 19970415 Implantable medical device having shielded and filtered feedthrough assembly and methods for making such assembly and methods for making such assembly and methods for making such assembly and method for testing fiber optic jumpers US 5330546 USPAT 19960625 Method and apparatus for testing fiber optic jumpers US 5497671 USPAT 19960312 Pineapple gear and method of manufacturing the same T4/415; 74/84R Edward G. US 5461324 USPAT 19951024 17 Split-fixture configuration and method for testing circuit traces on a flexible substrate US 5352069 USPAT 19941004 Method and apparatus for a numerically controlled tapping machine 408/9; 470/45 Edward G.					filtered				
methods for making such assembly US 5620476 A USPAT USPAT USPAT USPAT USPAT USPAT USPAT USPAT A USPAT I 19960625 Method and apparatus for testing fiber optic jumpers A USPAT A USPAT I 19960312 Dinapple gear and method of manufacturing the same US 5461324 A USPAT USPAT USPAT I 19951024 I 19951024 I Split-fixture configuration and method for testing circuit traces on a flexible substrate US 5352069 A USPAT USPAT USPAT I 19941004 Method and and method for testing circuit traces on a flexible substrate US 5352069 A USPAT I 19941004 Method and apparatus for a numerically controlled tapping machine Method and apparatus for a numerically controlled tapping machine Method and apparatus for a numerically controlled tapping machine									
Making such assembly US 5620476 A USPAT 19970415 Implantable medical device having shielded and filtered feedthrough assembly and methods for making such assembly US 5530546 A USPAT 19960625 Method and apparatus for testing fiber optic jumpers US 5497671 A USPAT 19960312 Pineapple gear and method of manufacturing the same US 5461324 A USPAT 19951024 IT Split-fixture configuration and method for testing circuit traces on a flexible substrate US 5352069 USPAT 19941004 Method and apparatus for a numerically controlled tapping machine Making such assembly 607/36 607/36 Fruex; Buehl E et al. Barringe Wayne A et al. Barringe Wayne A et al. 9324/75.1 324/158.1; 324/73.1 Boyette; James E et al.									
US 5620476 A USPAT 19970415 Implantable medical device having shielded and filtered feedthrough assembly and methods for making such assembly asse						ļ			
US 5620476 A USPAT IP970415 Implantable medical device having shielded and filtered feedthrough assembly and methods for making such assembly US 5530546 A USPAT IP960625 Method and apparatus for testing fiber optic jumpers US 5497671 A USPAT IP960312 Pineapple gear and method of manufacturing the same US 5461324 A USPAT IP951024 IT Split-fixture configuration and method for testing circuit traces on a flexible substrate US 5352069 A USPAT IP941004 Method and apparatus for a numerically controlled tapping machine Implantable medical device having shielded and filtered feedthrough assembly Method and apparatus for a numerically controlled tapping machine									
Manufacturing the same US 5461324 A USPAT 19951024 17 Split-fixture configuration and method for testing circuit traces on a flexible substrate US 5352069 A USPAT 19941004 Method and apparatus for a numerically controlled tapping machine	LIS 5620476	USPAT	19970415			\vdash	607/36		Truex:
shielded and filtered feedthrough assembly and methods for making such assembly US 5530546 A USPAT 19960625 Method and apparatus for testing fiber optic jumpers US 5497671 A Pineapple gear and method of manufacturing the same US 5461324 A USPAT 19951024 17 Split-fixture configuration and method for testing circuit traces on a flexible substrate US 5352069 A USPAT 19941004 Method and apparatus for a numerically controlled tapping machine	A								Buehl E.
filtered feedthrough assembly and methods for making such assembly US 5530546 A USPAT 19960625 Method and apparatus for testing fiber optic jumpers US 5497671 A USPAT 19960312 Pineapple gear and method of manufacturing the same US 5461324 A USPAT 19951024 17 Split-fixture configuration and method for testing circuit traces on a flexible substrate US 5352069 A USPAT 19941004 Method and apparatus for a numerically controlled tapping machine									et al.
Gedthrough assembly and methods for making such assembly US 5530546 A USPAT 19960625 Method and apparatus for testing fiber optic jumpers US 5497671 A USPAT 19960312 Pineapple gear and method of manufacturing the same US 5461324 A USPAT 19951024 17 Split-fixture configuration and method for testing circuit traces on a flexible substrate US 5352069 A USPAT 19941004 Method and apparatus for a numerically controlled tapping machine METHOD ASSEMBLY ASSE									
us 5530546 assembly and methods for making such assembly Us 5530546 A Uspat 19960625 Method and apparatus for testing fiber optic jumpers Us 5497671 A Uspat 19960312 Pineapple gear and method of manufacturing the same and method for testing circuit traces on a flexible substrate Us 5352069 A Uspat 19941004 Method and apparatus for a numerically controlled tapping machine assembly and method assembly Method and apparatus for a numerically controlled tapping machine Barringe Wayne A assembly Barringe Wayne A apparatus for a lassembly apparatus for a numerically controlled tapping machine									
Methods for making such assembly Method and apparatus for testing fiber optic jumpers Make a									
US 5530546 A USPAT 19960625 Method and apparatus for testing fiber optic jumpers US 5497671 A USPAT 19960312 Pineapple gear and method of manufacturing the same US 5461324 A USPAT 19951024 17 Split-fixture configuration and method for testing circuit traces on a flexible substrate US 5352069 A USPAT 19941004 Method and apparatus for a numerically controlled tapping machine making such assembly Method and apparatus for testing circuit traces on a flexible substrate and method for testing circuit traces on a flexible substrate on a numerically controlled tapping machine									
US 5530546 A USPAT 19960625 Method and apparatus for testing fiber optic jumpers US 5497671 A USPAT 19960312 Pineapple gear and method of manufacturing the same US 5461324 A USPAT 19951024 17 Split-fixture configuration and method for testing circuit traces on a flexible substrate US 5352069 A USPAT 19941004 Method and apparatus for a numerically controlled tapping machine assembly Method and apparatus for a numerically controlled tapping machine Barringe Wayne A apparatus for a 19960312 Pineapple gear and method for testing circuit traces on a flexible substrate WS 6461324 A USPAT 19941004 Method and apparatus for a numerically controlled tapping machine			ł						
A apparatus for testing fiber optic jumpers US 5497671 A USPAT 19960312 Pineapple gear and method of manufacturing the same US 5461324 A USPAT 19951024 17 Split-fixture configuration and method for testing circuit traces on a flexible substrate US 5352069 A USPAT 19941004 Method and apparatus for a numerically controlled tapping machine Mayne 4 et al. Wayne 4 et al. Wayn									
testing fiber optic jumpers US 5497671 A USPAT 19960312 Pineapple gear and method of manufacturing the same US 5461324 A USPAT 19951024 17 Split-fixture configuration and method for testing circuit traces on a flexible substrate US 5352069 A USPAT 19941004 A USPAT 19941004 A Method and apparatus for a numerically controlled tapping machine testing fiber optic jumpers 74/416 74/415; Rourke; Edward G. Rourke; Edward G. 408/1R 408/9; 470/45 A Rourke; Edward G.	US 5530546	USPAT	19960625				356/73.1		Barringer
US 5497671 A USPAT 19960312 Pineapple gear and method of manufacturing the same US 5461324 A USPAT 19951024 17 Split-fixture configuration and method for testing circuit traces on a flexible substrate US 5352069 A USPAT 19941004 A USPAT 19941004 A Method and apparatus for a numerically controlled tapping machine Doptic jumpers 74/416 74/415; Rourke; Edward G. Rourke; Edward G. Rourke; Adward G. Boyette; 324/75.1 Boyette; 324/73.1 Boyette; 470/45 Edward G.	A								
US 5497671 A USPAT 19960312 Bigear and method of manufacturing the same US 5461324 A USPAT 19951024 17 Split-fixture configuration and method for testing circuit traces on a flexible substrate US 5352069 A USPAT 19941004 A Method and apparatus for a numerically controlled tapping machine US 5352069 A									et al.
A gear and method of manufacturing the same US 5461324 A USPAT 19951024 17 Split-fixture configuration and method for testing circuit traces on a flexible substrate US 5352069 A USPAT 19941004 A Method and apparatus for a numerically controlled tapping machine US 6352069 A Controlled tapping machine US 74/84R Edward G.	US 5497671	USPAT	19960312				74/416	74/415;	Rourke;
US 5461324 A USPAT 19951024 17 Split-fixture configuration and method for testing circuit traces on a flexible substrate US 5352069 A USPAT 19941004 A Method and apparatus for a numerically controlled tapping machine Manufacturing the same	A								
US 5461324 A USPAT 19951024 17 Split-fixture configuration and method for testing circuit traces on a flexible substrate US 5352069 A USPAT 19941004 A Method and apparatus for a numerically controlled tapping machine									G.
US 5461324 A USPAT 19951024 17 Split-fixture configuration and method for testing circuit traces on a flexible substrate US 5352069 A USPAT 19941004 A USPAT 19941004 A USPAT 19941004 A Method and apparatus for a numerically controlled tapping machine A USPAT 19941004 A Method and apparatus for a numerically controlled tapping machine Split-fixture configuration and method for testing circuit traces on a flexible substrate Wethod and apparatus for a numerically controlled tapping machine					_				
Configuration and method for testing circuit traces on a flexible substrate US 5352069 A USPAT 19941004 A Method and apparatus for a numerically controlled tapping machine South Provided tapping machine Configuration and method for testing circuit traces on a flexible et al. Wethod and 408/1R 408/9; 470/45 Fedward G.	TIC 5461224	TICDAT	10051024	17		\vdash	224/754	324/158 1:	Rovette:
and method for testing circuit traces on a flexible substrate US 5352069 A USPAT 19941004 A Method and apparatus for a numerically controlled tapping machine and method for testing circuit traces on a flexible substrate Method and apparatus for a numerically controlled tapping machine		USPAI	19931024	17	1 -		324/134		
US 5352069 USPAT 19941004 Method and apparatus for a numerically controlled tapping machine Circuit traces on a flexible substrate Method and apparatus for a numerically controlled tapping machine	71							02	1 1
US 5352069 A USPAT 19941004 Method and apparatus for a numerically controlled tapping machine Rouse Ro									
US 5352069 A USPAT 19941004 Method and apparatus for a numerically controlled tapping machine Substrate Rourke; Substrate A08/1R 408/9; A70/45 Edward G.						l			
US 5352069 A USPAT 19941004 Method and apparatus for a numerically controlled tapping machine A08/1R 408/9; A70/45 Rourke; Edward G.									
A apparatus for a numerically controlled tapping machine 470/45 Edward G.	TIC 5252060	LICDAT	100/100/			╁	408/1R	408/9:	Rourke:
a numerically controlled tapping machine		USPAI	19941004				700/11		
controlled tapping machine	71								1 1
machine					_				
US 4934366 USPAT 19900619 Feedthrough 607/37 Truex;									

, ,	•	
A	connector for implantable medical device	Buehl E. et al.

.

.

.

.